1.933

UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration Washington 25, D. C.

## SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWER

## Speedy Action Essential.. IF YOU DESIRE THESE MATERIALS

April 3, 1947

COMDITION:

New, unless otherwise shown.

PRICE:

As shown below, f.o.b. Carrier.

TIME LIMIT: .

Telegraph us your order immediately as these materials are

held for REA activities for a very short period.

ORDER INSTRUCTIONS:

Telegraph order should include order number. In addition, mail two copies of your order marked "Confirmation of Telegram", and your plant procurement order, when necessary.

ITEM		UNIT	
NO. QUANTITY	DESCRIPTION	PRICE	
1 160 REI	TIMOTOMO & DOORWID.	1.75	ea
Mfe	gr. Benjamin Mfg. Co; Cat. #Benjamin #26611 Socket		
#61	Ill reflector; material-steel; finish-enameled porcelain	1	
color: Green on top,	white reflection, size: Reflector 12" dia. Location:		
Lexington, Kentucky.			

\$ 2.25 ea REFLECTORS & SOCKETS: Type: Light, Mfg: Benjamin 500 Electric Mfg. Co. Cat. #Benjamin #2661 Socket & 653 Reflector. Color: Green on top, white under. Dimension: Reflector 16th diam. Socket has cord and chain. Location: Lexington, Kentucky

8 ea. .

FIXTURE ASSY., Ceiling, Kind-Electric, Style - Closed \$109.31Lot consisting Globe, Base Body - 4-1/2" flange, Column-41" long, Reflector 21" dia. Globe 11" Dia. 5-1/2" Hub, Number of lamps 1; Body Metal, Column: Iron Pipe, Reflector, white porcelain -Finish: Smooth, Contains operator control switch. Condition: Used. Location; Richmond, Kentucky.

REFLECTORS & SOCKETS: Type: Light, Electrical, Mfr: Benjamin 61 ea. Mfg. Co. Cat. No; Benjamin #2661 socket, #1161 reflector, Mat'l: Steel, Finish: Enameled porcelain, Color: Green on top; white reflection surface. Dimensions: reflector 8" dia. Socket with pull chain & cord. Condition: Unused. Location: Lexington, Ky.

HEATERS; Air Electric, 115 V., 60 cycle, 1.5 KW, UB15; 2 ea. Serial No. A. Current: Mat'l tin case. Trade Name:

Chromalox. Mfgr: Edwin L. Wiegand Co. Brown & Silver paint finish. Complete with switch thermostat. Dim. approx. 1'H, 1'L, 1'W. Cond: Used. Location: Lexington, Ky (NOTE: The above Item 3 to be sold as one lot only).

In all communications to REA concerning these items, please refer to SWP Release: In all communications to REA concerning these items, please refer to SWP Release: 213B

ITEM	YTITHAUÇ	DESCRIPTION	UNIT PRICE
NO. 4	12	POLE TRAILERS, 2 wheel, Rex utility, with two 900 x 20 tires, with tongues and running lights. Condition: Used, Good. Location: Oklahoma City, Oklahoma	\$ 225.00
NOTE:	It is nece	ssary for any Cooperative ordering these trailers to send work order to us immediately.	d a

COMPRESSOR, air wheelbarrow, mfgd. by Briggs Stratton \$ 125.00c.

Corp., capacity 16 cfm, single cylinder, air cooled,

size 41"L - 16"W - 22"H, Serial No. 72439, Model No.

N. Mounted on 1\frac{1}{4}" steel tubular frame, 1 steel wheel

4"W - 16" dia. Equipped w/single cylinder, air cooled, gasoline engine, w/V belt pulley drive, pulley for rope starting (foot pedal for starting when gear is mounted on shaft). Safety relief valve, up to 160# pressure, 25' hose, 50' hose w/no connection on end, 1 end wrench. Condition: Used. Location: Sharonville, 0

GENERATORS, Set unit, Mfgd. by O'Keefe & Merritt Co., \$ 552.00

Los Angeles, Model PE-95-G, O/A dim. 80" long 35" wide ea.

and 47" high, wt. approx. 1500#, single phase, 60 cycle,

AC at either 120 or 240V. Rated capacity 10 KW at unity

power factor and 12.5 KVA at 80% power factor. Gasoline operated and has a
35 FP rating at normal speed of 1800 RPM. Condition: Unused. Location: Helena,

Montana

GENERATOR, gasoline driven, 8 KW, 115/230 V, 60 cycle, \$ 615.00 single phase, 43 amp., 1800 rpm, 80% PF, Mfgr. D. W. ea.
Onan & Sons. 4 cylinder motor direct coupled to generator auxiliary generator for excitation is 125V DC at 5.6 amp.
The equip. is designed to start from a 12 V auto storage battery. Condition:
Unused. Location: College Park, Maryland

LIBRARY
CURRENT SERIAL RECORD

APR 9 1947

U. S. DEPARTMENT OF AGMISULTURE

J. Warner Pyles Head
Surplus War Property Office
Management Division

NATIONVIDE

1.933

Bu 7

## SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

## Speedy Action Essential. IF YOU DESIRE THESE MATERIALS

April 10, 1947

COMDITION:

New, unless otherwise shown.

PRICE:

As shown below, f.o.b. Carrier.

TIME LIMIT:

Telegraph us your order immediately as these materials are held for REA activities for a very short period.

ORDER INSTRUCTIONS:

Telegraph order should include order number. In addition, mail two copies of your order marked "Confirmation of Telegram", and your plant procurement order, when necessary.

NO. QUANTITY DESCRIPTION PRICE

SPECIAL NOTE: The following properties are available, however, to obtain them a bid must be submitted to the War Assets Administration by April 18, 1947. If any Cooperatives are interested in obtaining these properties, please wire us immediately and indicate the price you desire us to bid for you.

- JY-BA-60, Serial #5836. Direct connected to Gas Driven air cooled Model AP Briggs Stratton engine. Serial #53760, mounted on portable, hard base Dim. 30" x 15" x 1-1/8", supplied w/2 pipe handles for carrying. W/50' extension cord, 2 wire w/cap and socket, connects to top of gen; voltmeter range 150 x 1 ctn. containing, rope crank. Fly wheel puller, muffler, 4 rubber blocks w/mounting. OA Dim. 34"L x 18"W x 22"H. Set known as Pincer Gold Crown.
- 2 1 GENERATOR SET: 30 KW, 110 V, 3 Phase, 60 Cy., 1200 BID
  RPM, Type FR-5008 class, Form 3D, Serial T-30K1474.

  Self- regulating Generator mfg. by Lewis Allis Co. Direct connected to
  Diesel driven Model D 4600, Serial #5734 SP, 6 cylinder, 1200 RPM. Engine
  Mfg. by Caterpillar Tractor Co. W/tools and pipe flanges to connect 1
  Burgess #STC-3, muffler w/set. Not mounted on skids.
  - GENERATOR SETS: 3 KW, Ilo V, DC, 27.25 amo, 1800 RPM, BID Model A-7117 Delco Generator, Direct connected to gas driven, 1 cylinder, 4 cycle, air cooled Model AEHS, Wisconsin engine.

    Mounted on platform w/steel wheels. Has 3.00 x 5" pneu. tires.
  - Gen., direct coupled to Wisconsin engine. 1 HP, 4 cyc., air cooled, (Cont'd)
    In all communications to REA concerning these
    items, please refer to SWP Release: 214A

MO. QUANTITY  Tope or battery start, shielded plug, portable, complete (Cont'd)  Tope or battery start, shielded plug, portable, complete (Cont'd)  Tope or battery start, shielded plug, portable, complete (Cont'd)  Tope of battery. Set known as "Pioneer Gen-E-Motor" Nall BA-6.  Tope of at 7-1/2 V, DO). Belt driven by Johnson Mall X510 gas engine, portable, set assembled by Pioneer Gen-E-Motor Corp.  Tope of the total plug of the phase, 1800 RPM, Serial RB 880, Style 121286, Franc 364, Generator Mfg. Master Plec. Co. Direct connected to: Ges driven 4 cyl  Misconsin VF4, Serial 408783. Engine w/control panel, assembled as one unit, secured to bed plate, and mounted on dolly, and equipped w/distributing cable. All mounted on 2 wheels w/fc.00 x 16, 4 ply pneu tires.  CONDITION OF ABOVE ITEMS: Umused. LOCATION: Auburn, Washington  In addition to the above, the following properties are available at the fixed price shown.  Solo nes. BLOCK A'D TACKLE consisting of 150' sisal ½"-3 ply sisal rope, treated w/antifunglsolution of copper maphanate, rendering a color to dark green, with double and triple blocks. Sheave size 2-1/4" x 5/8" x 3/8". Wheel size 4" dia. Condition: Unused.  Corvallis, Oregon. Any cooperative desiring any of these arrestors should contact the Benton-Lincoln Electric Cooperative, Inc.  Corvallis, Oregon. Any cooperative desiring any of these arrestors should addges, clive drab color with 3 eyelets, finished edges, mfd. by Fleider & Mitchell Awning Co., Inc. Location: Tappa, Florida  The Frice wary due to mamfacturer, condition, horsepower of motor, wheel should be a marriagent, Floor tyne, for Surface Work, Equipped with 2 wheels, powered by 2 HP Utility Motor, 1460/1750 RPM, 220/440 V, 3 phase, 50/60 cyc., Mfr. Utility Grinder Mfg. Co.  The Price vary due to mamfactu	ITEM			UNIT
formulation to the above, the following properties are available at the fixed price shown.  8 150 pcs. BLOCK AND TACKIE consisting of 150' stant \$\frac{1}{2}\times \text{X} \ \ \text{Shews} \ She	NO.	QUANTITY	DESCRIPTION	PRICE
200 W at 7-1/2 V, DO). Belt driven by Johnson Mal X510 gas engine, pertable, set assembled by Pioneer Gen-E-Motor Corp.  6 1 MOTOR GENERATOR SET: 5 KW, 30 V. DO, direct coupled to 7-1/2 HP, 220/440 V, 3 ph., 50 cyc., 1800 RFK, Serial #FB 349, Style 98316, 19/9.5 amo.  7 1 GEMERATOR SET: 7-1/2W, 120/240 V., 60 cyc., single phase, 1800 RFW, Serial RB 880, Style 121266, Frame 364, Generator Mfg. Master Elec. Co., Direct connected to: Gas driven 4 cyl., Misconsin VF4, Serial 408783. Engine w/control panel, assembled as one unit, secured to bed plate, and mounted on dolly, and equipped w/distributing cable. All mounted on 2 wheels w/6.00 x 16, 4 ply pneu. tires.  CONDITION OF ABOVE ITEMS: Unused. LOCATION: Auburn, Washington  In addition to the above, the following properties are available at the fixed price shown.  8 150 nos.BLOCK AND TACKLE consisting of 180' sisal ½ 3 ply sisal rose, treated w/antifungisalution of copper naphanate, rendering a color to dark green, with double and triple blocks. Sheave size 2-1/4" x 5/8" x 3/8". Wheel size 4" dia. Condition: Unused. Location: Ecores, Michigan.  9 400 LICHTHING ARRESTORS, Model 9LA 108-5 GE. Located at Benton-Lincoln Electric Cooperative, Inc., Corvallis, Oregon. Any cooperative desiring any of these arrestors should contact the Benton-Lincoln Electric Cooperative direct. F.O.B. Lebanon or Scio, Oregon.  10 41 FAULINS, catton canvas No. 4, 17' x 23', partly finished edges, oldre drab color with 3 cyclets, finished edges, mfd. by Fielder & Mitchell Awming Co., Inc. Location: Tampa, Florida  11 147 GRINDERS; Fixed, "Utility" Pedestal Grinder, No Model No. Shown, Double Snd, Horizontal, Direct, Coupled, Drive. Manual Control, Stationary, Floror type, for Surface Work, Equipmed with 2 wheels, powered by 2 HP Utility Motor, 1450/1750 RFM, 220/440 V, 3 phase, 50/60 cyc., Nff. Utility Grinder Mfg. Co.  The Prices vary due to mammfacturer, condition, horsepower of motor, wheel size, etc. All are specified to be in good condition.  Cuantity 2 Wheels E.F. Free Fried Set. Set	4	5	rope or battery start, shielded plug, portable, complete w/tools and spares. No battery. Set known as "Pioneer	BID
6 1 MOTOR GENERATOR SET: 5 KW, 30 V., DC, direct coupled to 7-1/2 HP, 220/440 V, 3 ph., 60 cyc., 1800 RFM. Serial #7B 349, Style 98316, 19/9.5 zmp.  7 1 GENERATOR SET: 7-1/2W, 120/240 V., 60 cyc., single phase, 1800 RFM. Serial RB 880, Style 121266, Frame 364, Generator Nfg. Master Blec. Co., Direct connected to: Ges driven 4 cyl., Wisconsin VF4, Serial 408783. Engine w/control panel, assembled as one unit, secured to bed plate, and mounted on dolly, and equipped w/distributing cable. All mounted on 2 wheels w/6.00 x 16, 4 ply pneu. tires.  CONDITION OF ABOVE ITEMS: Unused. LOCATION: Auburn, Washington  In addition to the above, the following properties are available at the fixed price shown.  8 150 mcs.BLOCK AND TACKLE consisting of 150' sisal ½"-3 ply sisal rope, treated w/antifungisolution of corper naphanate, rendering a color to dark green, with double and triple blocks. Sheave size 2-1/4" x 5/8" x 3/8". Wheel size 4" dia. Condition: Unused.  9 400 LICHTNING ARRESTORS, Model 91A 10B-5 GE.  10 Located at Benton-Lincoln Electric Cooperative, Inc.,  11 Corvellis, Oregon. Any comporative desiring any of these arrestors should contact the Benton-Lincoln Electric Cooperative direct. F.O.B. Lebanon or Scio, Oregon.  10 41 PAULINS, cotton canvas No. 4, 17' x 23', pertly finished edges, olive drab color with 3 cyclets, finished edges, mfd. by Fielder & Mitchell Awning Co., Inc. Location: Tampa, Florida  11 147 GRINDERS; Fixed, "Utility" Pedestal Grinder, No Model No. Shown, Double End, Horizontal, Direct, Coupled, Drive.  Manual Control, Stationery, Floor type, for Surface Work, Equipped with 2 wheels, nowered by 2 MP Utility Motor, 1450/1750 RPM, 220/440 V. 3 phase, 50/60 cyc., Mfr. Utility Grinder Wfg. Co.  11 14 GRINDERS; Weels H.F.  22 2 12" \$ 54.95 to \$55.87 \$ 56.30 to \$95.86 \$ 12.90 \$ 12.9		l	200 W at 7-1/2 V, DC). Belt driven by Johnson Mdl X510	BID
#FB 349, Style 98316, 19/9.5 emp.  7 1 GENERATOR SET: 7-1/2W, 120/240 V., 60 cyc., single phase, 1800 RPM, Serial RB 880, Style 121266, Frame 364, Generator Nfg. Master Elec. Co., Direct connected to: Gas driven 4 cyl., Misconsin TP4, Serial 408783. Engine w/control panel, assembled as one unit, secured to bed plate, and mounted on dolly, and equipped w/distributing cable. All mounted on 2 wheels w/6.00 x 16, 4 ply pneu. tires.  CONDITION OF ABOVE ITEMS: Unused. LOCATION: Auburn, Washington  In addition to the above, the following properties are available at the fixed price shown.  8 150 pcs. BLOCK AVD TACKLE consisting of 150' sisal \frac{1}{3}"-3 ply sisal rope, treated w/mntifungisolation of copper mapfanate, rendering a color to dark green, with double and triple blocks. Sheave size 2-1/4" x 5/8" x 3/8". Wheel size 4" dia. Condition: Unused. Location: Ecorse, Kichigan.  9 400 LICHTMING ARRESTORS, Model 9LA 108-5 GE. Located at Benton-Lincoln Electric Cooperative, Inc., Corvellis, Oregon. Any cooperative desiring any of these arrestors should contact the Benton-Lincoln Electric Cooperative direct. F.C.B. Lebanon or Scio, Oregon.  10 41 PAVLIUS, cotton canvas No. 4, 17' x 23', partly finished edges, olive drab color with 3 cyclets, finished edges, mid. by Fielder & Mitchell Awning Co., Inc. Location: Tampa, Florida  11 147 GRINDERS; Fixed, "Utility" Pedestal Grinder, No Model No. Shown, Double End, Horizontal, Direct, Coupled, Drive.  Manual Control, Stationary, Floor type, for Surface Work, Equipped with 2 wheels, nowered by 2 TP Utility Motor, 1450/1750 RPM, 220/440 V, 3 phase, 50/60 cyc., Mrr. Utility Grinder Mfg. Co.  The Prices vary due to manufacturer, condition, horsepower of motor, wheel size, etc. All are specified to be in good condition.  Price 32 12" \$ 54.99 to \$55.87 30 12" \$ 55.30 to \$95.80 12" \$ 56.30 to \$95.80 12" \$ 56.30 to \$95.80 12" \$ 56.30 to \$95.80 12" \$ 50.00 to \$95.80 12" \$ 50.00 to \$68.27 10" \$ 50.0				Carry III
phase, 1800 RPM, Serial RB 880, Style 121266, Frame 364, Generator Mfg. Master Elec. Co. Direct connected to: Gas driven 4 cyl., Misconsin VF4, Serial 408783. Engine w/control panel. assembled as one unit, secured to bed plate, and mounted on dolly, and equipped w/distributing cable. All mounted on 2 wheels w/6.00 x 16, 4 ply pneu. tires.  CONDITION OF ABOVE ITEMS: Unused. LOCATION: Auburn, Washington  In addition to the above, the following properties are available at the fixed price shown.  8 150 mcs.BLOCK AND TACKLE consisting of 150' sisal ½"-3 ply sisal rose, treated w/antifungisolution of copper maphanate, rendering a color to dark green, with double and triple blocks. Sheave size 2-1/4" x 5/8" x 3/8". Wheel size 4" dia. Condition: Unused. Location: Ecorse, Michigan.  9 400 LIGHTMING ARRESTORS, Model 9LA 10B-5 GE. Located at Benton-Lincoln Electric Cooperative, Inc.,  Corvallis, Oregon. Any cooperative desiring any of these arrestors should contact the Benton-Lincoln Electric Cooperative direct. F.O.B. Lebanon or Scio, Oregon.  10 41 PAULINS, cotton canvas No. 4, 17' x 23', pertly finished edges, olive drab color with 3 cyclets, finished edges, mfd. by Fielder & Mitchell Awming Co., Inc. Location: Tampa, Florida  11 147 GRINDERS; Fixed, "Utility" Fedestal Grinder, No Model No. Shown, Double End, Herizontal, Direct, Coupled, Drive.  Manual Control, Stationary, Floor type, for Surface Work, Equipped with 2 wheels, powered by 2 HP Utility Motor, 1450/1750 RPM, 220/440 V, 3 phase, 50/60 cyc., Mfr. Utility Grinder Mfg. Co.  The Frices vary due to mamufacturer, condition, horsepower of motor, wheel size, etc. All are specified to be in good condition.  Countity 2 Wheels H.F. 22 12" 12" \$ 54.39 to \$55.87		Colora pros	to 7-1/2 HP, 220/440 V, 3 ph., 60 cyc., 1800 RPM, Serial	BID
Wisconsin VF4, Serial 408783. Engine w/control panel, assembled as one unit, secured to bed plate, and mounted on dolly, and equipped w/distributing cable. All mounted on 2 wheels w/6.00 x 16, 4 ply pneu. tires.  CONDITION OF ABOVE ITEMS: Unused. LOCATION: Auburn, Washington  In addition to the above, the following properties are available at the fixed price shown.  8     150 ncs. BLOCK AND TACKLE consisting of 150' sisal \frac{1}{2}\pi^-3 ply sisal rope, treated w/antifungisolution of copper naphanate, rendering a color to dark green, with double and triple blocks. Sheave size 2-1/\pi^+ x 5/8\pi^- x 3/8\pi^ Wheel size 4\pi^- dia. Condition: Unused. Location: Ecorse, Michigan.  9     400     LIGHTNING ARRESTORS, Model 9LA 10B-5 GE. Located at Benton-Lincoln Electric Cooperative, Inc.,  Corvellis, Oregon. Any cooperative desiring any of these arrestors should contact the Benton-Lincoln Electric Cooperative direct. F.O.B. Lebanon or Scio. Oregon.  10     41     FAULINS, cotton canvas No. 4, 17\pi x 23\pi, partly finished edges, olive drab color with 3 cyclets, finished edges, mfd. by Fielder & Mitchell Awning Co., Inc. Location: Tampa, Floride  11     147     GRINDERS; Fixed, "Utility Fedestal Grinder, No Model No. Shown, Double End, Horizontal, Direct, Equipped with 2 wheels, powered by 2 HP Utility Motor, 1450/1750 RPM, 220/440 V, 3 phase, 50/60 cyc., Effr. Utility Grinder Mfg. Co.  The Prices vary due to manufacturer, condition, horsepower of motor, wheel size, etc. All are specified to be in good condition.  Price			phase, 1800 RPM, Serial RB 880, Style 121266, Frame 364,	BID
In addition to the above, the following properties are available at the fixed price shown.  8	Wisconsunit,	sin VF4, Secured to	Serial 408783. Engine w/control panel, assembled as one bed plate, and mounted on dolly, and equipped w/distrib-	1201.6
price shown.  8 150 pcs.BLOCK AND TACKLE consisting of 150' sisal \( \frac{1}{2}\) "-3 ply sisal rope, treated w/antifungisolution of copper naphanate, rendering a color to dark green, with double and triple blocks. Sheave size 2-1/4" x 5/8" x 3/8". Wheel size 4" dia. Condition: Unused.  10 LICHTNING ARRESTORS, Model 9LA 10B-5 GE. Located at Benton-Lincoln Electric Cooperative, Inc.,  11 Corvallis, Oregon. Any cooperative desiring any of these arrestors should contact the Benton-Lincoln Electric Cooperative direct. F.O.B. Lebanon or Scio, Oregon.  10 41 PAULINS, cotton canvas No. 4, 17' x 23', partly finished edges, olive drab color with 3 eyelets, finished edges, and by Fielder & Mitchell Awning Co., Inc. Location: Tampa, Florida  11 147 GRINDERS; Fixed, "Utility" Pedestal Grinder, No Model No. Shown, Double End, Horizontal, Direct, Coupled, Drive.  Manual Control, Stationary, Floor type, for Surface Work, Equipped with 2 wheels, powered by 2 HP Utility Motor, 1450/1750 RPM, 220/440 V, 3 phase, 50/60 cyc., Mfr. Utility Grinder Mfg. Co.  The Prices vary due to manufacturer, condition, horsepower of motor, wheel size, etc. All are specified to be in good condition.  Cuantity  2 Wheels  12"  12"  12"  12"  13"  \$ \$64.39  \$ 78.16 to \$87.55  30  14"  30  10"  1 Warner/Pyles, Head	CONDIT	ION OF ABO	OVE ITEMS: Unused. LOCATION: Auburn, Washington	
rope, treated w/antifungisolution of copper naphanate, rendering a color to dark green, with double and triple blocks. Sheave size 2-1/4" x 5/8" x 3/8". Wheel size 4" dia. Condition: Unused.  Location: Ecorse, Michigan.  9 400 LIGHTNING ARRESTORS, Model 9LA 10B-5 GE.  Located at Benton-Lincoln Electric Cooperative, Inc.,  Corvallis, Oregon. Any cooperative desiring any of these arrestors should contact the Benton-Lincoln Electric Cooperative direct. F.O.B. Lebanon or Scio, Oregon.  10 41 PAVLINS, cotton canvas No. 4, 17' x 23', partly finished edges, olive drab color with 3 eyelets, finished edges, mfd. by Fielder & Mitchell Awning Go., Inc. Location: Tampa, Florida  11 147 GRINDERS; Fixed, "Utility" Pedestal Grinder, No Model No. Shown, Double End, Horizontal, Direct, Coupled, Drive.  Manual Control, Stationary, Floor type, for Surface Work, Equipped with 2 wheels, powered by 2 HP Utility Motor, 1450/1750 RPM, 220/440 V, 3 phase, 50/60 cyc., Mfr. Utility Grinder Mfg. Co.  The Prices vary due to manufacturer, condition, horsepower of motor, wheel size, etc. All are specified to be in good condition.  Cuantity 2 Wheels H.F. Price			the above, the following properties are available at the fix	ted
Located at Benton-Lincoln Electric Cooperative, Inc.,  Corvallis, Oregon. Any cooperative desiring any of these arrestors should contact the Benton-Lincoln Electric Cooperative direct. F.O.B. Lebanon or Scio, Oregon.  10 41 PAULINS, cotton canvas No. 4, 17' x 23', partly finished edges, olive drab color with 3 eyelets, finished edges, mfd. by Fielder & Mitchell Awming Co., Inc. Location: Tampa, Florida  11 147 GRINDERS; Fixed, "Utility" Pedestal Grinder, No Model No. Shown, Double End, Horizontal, Direct, Coupled, Drive.  Manual Control, Stationary, Floor type, for Surface Work, Equipped with 2 wheels, powered by 2 HP Utility Motor, 1450/1750 RPM, 220/440 V, 3 phase, 50/60 cyc., Mfr. Utility Grinder Mfg. Co.  The Prices vary due to manufacturer, condition, horsepower of motor, wheel size, etc. All are specified to be in good condition.  Cuantity  2 Wheels  12"  1 \$ 54.39 to \$55.87 \$ 93' 12"  2 Wheels  10"  1 Warner/Pyles, Head	render	ing a cold	rope, treated w/antifungisolution of copper naphanate, or to dark green, with double and triple blocks. Sheave /8" x 3/8". Wheel size 4" dia. Condition: Unused.	
edges, olive drab color with 3 eyelets, finished edges, mfd. by Fielder & Mitchell Awning Co., Inc. Location; Tampa, Florida  11 147 GRINDERS; Fixed, "Utility" Pedestal Grinder, No Model No. Shown, Double End, Horizontal, Direct, Coupled, Drive.  Manual Control, Stationary, Floor type, for Surface Work, Equipped with 2 wheels, powered by 2 HP Utility Motor, 1450/1750 RPM, 220/440 V, 3 phase, 50/60 cyc., Mfr. Utility Grinder Mfg. Co.  The Prices vary due to manufacturer, condition, horsepower of motor, wheel size, etc. All are specified to be in good condition.  Ouantity  2 Wheels  12"  12"  \$ 54.89 to \$55.87  \$ 85.30 to \$95.86  30  14"  3 \$ 78.16 to \$87.55  10"  NATIONWIDE  NATIONWIDE	Corval	lis, Oregot the Bent	Located at Benton-Lincoln Electric Cooperative, Inc., on. Any cooperative desiring any of these arrestors should	
Shown, Double End, Horizontal, Direct, Coupled, Drive.  Manual Control, Stationary, Floor type, for Surface Work, Equipped with 2 wheels, powered by 2 HP Utility Motor, 1450/1750 RPM, 220/440 V, 3 phase, 50/60 cyc., Mfr. Utility Grinder Mfg. Co.  The Prices vary due to manufacturer, condition, horsepower of motor, wheel size, etc. All are specified to be in good condition.  Ouantity  2 Wheels  12"  12"  13"  2 \$ 54.89 to \$55.87  85.30 to \$95.86  30  14"  3 \$ 78.16 to \$87.55  2 NATIONWIDE  NATIONWIDE  NATIONWIDE	10 mfd. b		edges, olive drab color with 3 eyelets, finished edges,	
size, etc. All are specified to be in good condition.  Cuantity  2 Wheels  1 1	wheels	Control,	Shown, Double End, Horizontal, Direct, Coupled, Drive. Stationary, Floor type, for Surface Work, Equipped with 2 by 2 HP Utility Motor, 1450/1750 RPM, 220/440 V, 3 phase,	201 - 2103
22 12" 1½ \$ 54.89 to \$55.87 93 12" 2 \$ 85.30 to \$95.86 30 14" 3 \$ 78.16 to \$87.55 2 10" 1 \$ 40.19 to \$68.27  NATIONWIDE J. Warner/Pyles, Head		etc. All	are specified to be in good condition.	* TORNEY
NATIONWIDE J. Warner/Pyles, Head		22 93 30	12" \$ 54.89 \$ 85.30 \$ 14" 3 \$ 78.16	to \$95.86 to \$87.55
	7.17	2	the continue in some one work with amontales.	1 1 15
	MATTO	שתחש	I Warner Pules Hood	

UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration Washington 25, D. C.

# SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

### Speedy Action Essential. IF YOU DESIRE THESE MATERIALS

April 17, 1947

MATERIAL:

Explosives.

PRICE:

As shown below, f.o.b. Carrier.

TIME LIMIT:

April 28. 1947.

ORDER INSTRUCTIONS: Mail orders to us in DUPLICATE with vendor's name and address space left blank, for us to fill in the appropriate Disposal Agency name, etc. We will retain the duplicate order for our reference. Orders will be processed in order of receipt, subject to prior sale.

#### SPECIAL

#### T.N.T. - SAFER THAN DYNAMITE

Tuesday, April 8, the U. S. Army Demolition Corps, at our request, conducted a demonstration on the safety of T.N.T. and its use for excavating pole holes in connection with REA Construction.

To demonstrate the safety of T.N.T., an Army Sergeant fired a 30-30 rifle into six 1-pound blocks of T.N.T. None exploded. The Sergeant then fired the same rifle into six 1-pound sticks of 60% gelatin dynamite, and every one exploded'. This demonstration clearly indicated that T.N.T. is insensitive to shock.

To further demonstrate the safety, a 1-pound block of T.N.T. was ignited within 25 feet of observers. The T.N.T. burned like oil but did not explode. T.N.T. burns at 266°F., and when burned in the open, in quantities less than 100 pounds, will not explode. This demonstration indicates that T.N.T. is safe in the event of fire when transported in trucks to and from construction sites.

A 1-pound block of T.N.T. is equal in strength to 1-pound of 60% gelatin dynamite.

Six holes 6-feet deep were charged and exploded simultaneously. The charges were set in 5 of these holes prior to arrival of the observers. The 6th hole was charged in the presence of observers. 2-inch holes had been drilled in the rock. The T.N.T. blocks are 1-7/8" x 1-7/8" x 6". The demonstrator shaved the corners of the blocks so they could readily be inserted in the 2-inch holes. (Cont'd)

In all communications to REA concerning these items, please refer to SWP Release: In all communications to REA concerning these items, please refer to SWP Release: 215B

An examination of the holes after the explosion showed that the rock had been thoroughly broken into small fragments for the full depth.

Felling of large trees with T.N.T. was also demonstrated. A quantity of T.N.T. was tied on the side of the tree facing the direction of desired fall. The tree was cut off nicely and fell exactly where desired.

T.N.T. is insoluble in water and can be used in underwater charges.

The use of PRIMACORD in place of caps was demonstrated.

Primacord is safer than using caps in each block of T.N.T. or stick of dynamite. There is no danger of detonating unexploded caps when clearing holes, or exploding loose caps in trucks or storage.

T.N.T. does not deteriorate like dynamite. It can be stored until use is required without damage to its blasting power. Turning to prevent deterioration is not required.

REA Cooperatives and contractors doing REA construction work, who desire to order a sufficient amount to care for present needs and future construction should send us their orders without delay. The price is very attractive, being less than half the cost of dynamite.

53 persons attended the demonstration. 33 of these consisted of REA personnel from Engineering, Management and Information Divisions, REA Cooperatives, and Contractors doing REA construction. 20 were from Forestry, Department of Interior, War Assets Administration, and Fire Department of Washington, D. C. All expressed satisfaction that T.N.T. is safer than dynamite, and can be used economically.

Care should be exercised in complying with local, municipal and state regulations regarding storing, handling and the use of explosives. When installing charges and firing, the same general safety precautions should be followed as when using dynamite or other explosives.

The following properties are available for immediate delivery:

ITEM		MATERIAL	PRICE
1	6,392,663 -	1/2 pound blocks of T.N.T.	\$ .07 per 1b.
2	20,425,078 -	l pound blocks of T.N.T.	\$ .07 per lb.
		PRIMACORD	dones ben use
3		50' spools	\$ .015 per ft.
4	168,292 -	100¹ spools	\$ .015 per ft.
5 CHETENT SERIAL	RECORD 67 -		\$ .015 per ft.
APR 221	947	L'anice	Tyles.
S. DEPARTMENT OF	ABRIOULTURE	J. Warner Py	rle's, Head Property Office

Management Division

UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration Washington 25, D. C.

# SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

## Speedy Action Essential. IF YOU DESIRE THESE MATERIALS

April 24, 1947

CONDITION:

New, unless otherwise shown.

PRICE:

As shown below, f.o.b. Carrier.

TIME LIMIT:

Telegraph us your order immediately as these materials are

held for REA activities for a very short period.

ORDER INSTRUCTIONS:

Telegraph order should include order number. In addition, mail two copies of your order marked "Confirmation of Telegram", and your plant procurement order, when necessary.

	-			
	ITEM	OTTA SIM TO	DWG GD TERM AND	UNIT
	NO.	QUANTI		PRICE
	1	30	BATTERIES, Storage, Wet Type, Mfr. Inter-Detrola Corp-	
			oration, Indianapolis, Indiana. 3 cell, heavy con-	f.a.b.
			struction, 6 volt, 175 ampere hours, wood separators,	Washington,
			clamp terminal, hard rubber case, size 7 x 16 x 101.	D.C.
		100	Batteries are dry charged and ready to receive acid acc	ording
	to di	rections	on battery. Suitable for power stations where glass case	batteries
			been used and are also suitable, where required, for two-w	
	commu	nication	systems, light plants, and trucks where space conditions w	ill permit
			Condition: New. Location: Washington, D. C.	Political
	2	40	ARRESTERS, LIGHTNING, Pellet type for pole mounting	\$ 7.50 ea
			with metal hanger made by General Electric Co. Model	Ψ 1.00 6α
			#9L Al-A. Rated 6-9KV, Non-grounded. 9-12KV, when	
			grounded neutral. Made of porcelain w/metal end. Cond	444 000
		*	Unused-Good. Location: Hastings, Nebraska	Trotou:
			onused-dood, hocavion, hastings, hebraska	
	3	18	ARRESTERS, LIGHTNING, Pellet type for pole mounting	d ~ ~ ~
		10	with motel bencer Medel P705100 11 Peted C O VI	\$ 7.50 ea
1			with metal hanger. Model B305122-11. Rated 6-9 KV	
			non-grounded. 9-12.8 KV when grounded neutral. Made	
			of porcelain with metal end. Mfg. Line Materials Co.	
			Condition: Unused-Good. Location: Hastings, Nebraska	
	4	4	FILES, Visible, Kardex, 15 drawers and one stand, 92 x	\$ 51.00 ea
			22" x 27", 6 x 4 cards. Condition: Used. Location:	
			Dodson, Missouri	

Condition: New

#### SPECIAL

On November 19, 1946 we issued SWP Release No. 190 relative to the coaxial cable which was obtained from War Surplus for the cooperatives to be used in connection with Two-Way Radio Communication Systems. The Technical Standards Division felt that this cable would be beneficial to the Cooperatives. To obtain the cable, the War Assets Administration requested that all orders be shipped to one location. The Macon Electric Cooperative, Macon, Missouri, agreed to accept shipment of this cable on behalf of the other REA Cooperatives and to distribute it to those cooperatives upon receipt of orders from them. The Macon Electric Cooperative has now been billed by the War Assets Administration for 75,910 feet of cable. Macon reports, however, that they received orders for only 1400 feet to date. Since the Macon Electric Cooperative has been good enough to act for the other cooperatives in this case, it is urgently requested that all cooperatives that intend to install Two-Way Radio Communication Systems at any time in the future send their orders to the Macon Electric Cooperative, Macon, Missouri immediately. The Technical Standards Division has recommended that each cooperative so intending to install Two-Way Radio Communication equipment have on hand a minimum of 200 feet of this cable. The price is \$ .035 per foot.

NO.	QUANTITY	DESCRIPTION UNIT P
5	291	MEGOHMETERS; with carrying case, f.o.b. Newark, N.J. \$ Insulation testors, Army Model I-48B, equivalent to the "Super-Meg", Catalog #7679 as manufactured by the James G. Bittle Company, plastic mounted case with self-contained, constant pressure, DC generator of 500 volts. Testing range is 0 to 1,000 megohms. Overall dimensions are 8 3/4" long by 5" wide by 6 1/2" high. Weight approximately 9 pounds. Normal retail price

approximately \$200.00. This instrument is ideal for testing insulation resistance of house wiring, circuits,

transformers, meters, generators, motors, etc.

LIBRARY
CURRENT SERIAL REGORD
MAY 1 1947
U.S. DEPARTMENT OF AGRICULTURE

RICE

J. Warner Pyles, Head
Surplus War Property Office
Management Division

NATIONVIDE

TEM

1.933 Su 7 Cap 3

UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration Washington 25, D. C.

# SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

## Speedy Action Essential. IF YOU DESIRE THESE MATERIALS

April 25, 1947

MATERIAL:

Prefabricated-Steel Frame-Warehouses

PRICES:

As shown

TIME LIMIT:

May 7, 1947

ORDER INSTRUCTIONS:

Telegraph order should include order number. In addition, mail two copies of your order marked "Confirmation of Telegram", and your plant procurement order, when necessary.

NO.	QUANTITY	DESCRIPTION	UNIT PRICE
1	3	24'0" wide x 36'0" long x 10'0" high to eaves	\$1495.00 ea. f.o.b. New Jersey
2	4	24'0" wide x 36'0" long x 12'0" high to eaves	\$1670.00 ea. f.o.b. New Jersey

These warehouses are considerably heavier constructed than the warehouses shown on previous release No. 198. Framework is all steel. Vertical angles and roof purlins are 3" x 2" x 1/4". All brace angles 2" x 2" x 1/8". Warehouses have gable roofs. Roofing and Siding - Corrugated aluminum .027" thick. Doors - Double sliding doors each end 10' x 10'. All steel cut to measurements and marked for erection. All construction bolts and anchor bolts included. Full set erection drawings included. Clear space in warehouse below bottom cord of roof truss; no interior columns. Payment - Will be sight draft against Bill of Lading.

MATIONWIDE



J. Warner Pykes, Head Surplus Property Office Management Division

In all communications to REA concerning these items, please refer to SWP Release: 217

THE TRANSPORT OF THE PARTY OF T Les Consideration St. D. S.